



Peptide Cues in the Genome-to- Phenome Model

Modi Wetzler
Department of Chemistry
Clemson University



When Genome to Phenome Works


hbb

GGATCCTCACATGAGGTAGTATATAATTGTAACAGAATAAAAAATCAATTATGATTCAAGTTGCTAGT
GTCTTAAGAGGTTCACATTTTACTAAGTATTACAGCTACAAAGACTTCGAGTTACTTTCTTATAAT
TCCTGACTACACATGAAGAGACTGACACGTAGGTGCCTACTTAGGTTAGGTTAGTAATTTATCCAAAAC
CACACAATGTAGAACCTAACGCTGATTGGCCATAGAAACACAATATGTTGTTAGGTTAGTAATTTATCCAAAAC
TTCTCTCTCTATGCTGTCAGATGAATAGTGGATAGAATATTAGTTCATCTACACACATTAAACG
GGACTTTACATTGAGGTTGGGTGTGGGATAACTCAAGGTATCATATCCAAGGGATGG
ATGAAGGCAGGTGACTCTAACAAAAGGAAGGATGTTGGCAAGGCTATGTTCATGAAAGTATATGTA
AATCCACATTAAGCTTTCTGCATGCATTGGCAATGTTATGAATAATGTGTATGTAAGTATATACTTCTGT
TATATTCAAAGTGTTCATGTGCCCTAGGGGTGCAAATACTTGAGTTGTAAGTATATACTTCTGT
AATGTGTCGAATATCTCTTACTTGATTCTCAATAAGTAGGTATCATGTGAACATCTGACAAATGT
TTGAGGAACAATTATGTTTACCTATTCAACAAAATTATTAAATGCTTAATCTGTATCAGATATAACAA
TTATCTGGCAGGTTGGGAAATGCTTAAACAGCTGTTGAGCTTAATTAGGGATAAAGGCATGCAA
CCCATAATTGTGAGGTTGGGAAATGAGTATTTATCAGAAGTCTTAGGGTCA
TGAAAAGGAATGGTCAACTGACACTGCCAGGGACTCATATGTAAGAGATAACTAATGTGAAGTGA
AAGGAGAAATTAGCAGAAGTTCTTCCATGTCCTCATGTTACAATAACGGAAAGAGATTAAAC
AACAAATACATTAGACAGCAATGTTATCCTGGTAGATUTTAATCTAAATCTATCTGGAGTGT
AAATGCATTTGCTCACCTACTTTAAATATAATGAAGGTAGGACTCTGTAGATACAAAAGTTGGAGAA
AAAAAGACAATAAAGATGACAAAAATCTATTAACTCCTGATAGAAAATGAGAAGAGATAAAAAC
ACTGGTTTACATAAGAAAATAAGATGGTAGATAGCGAGATCCTTATAAAAGTGTAAATTGAGAAAAAA
ACTCCTATTCTGAGTTCTTCACATAAAATAACAAATCTGCTGTGGTAAGTTACAAAGAGATAGATTTTT
ATCATTATATAAAAGATATTAAACAGAGTTACAAACAAAGGAACAGACTATGTCATATTCTCACT
TATCACTATAAACATCTCAGAAAATCTGCAAATCATTCTAGCATTAAATAGTTAGGATAATGT
AGAAAACAGTCTAAGTTCCCACAAACTTAGAGTCTCAAATGTTGCATTACCTAACTTAC
CAAATATTATACAAATTGACATGCTACTCTAGTCAGGAAATAGCCTCTATTGTTACCTGATA
GTGTAACCTGGTTCTAGTTGCTTCTTCAGAAAATAGCCTCTATTGTTACCTGATAAAATCACATT
CCTCTCAAAGCCTCTAAATACTTCCAGACTAACTACTTTTAGTACATCTAAGAAGAAAAGAGTTTG
TCTCTTATCCACCTCTGAGTCAGGAGCAGCATGTCATCAATTGGTACATAGTTCCCACAGCCCCACTT
AGCTCTGGATTGGAGTTCACTTGGCATTGTTGCAACTACATGGACGTAAAATGCATGGATTCTTGA
AAAAATGTTCTGCCATGATGTTCTGAAAGAGACTAACCTCCCTCGCTTGCAGAGAAAAGACTCGT
TAATCCTTGACAATGTCATCTCATCTATTATCCCATGTCACCCATATGTGACCTTCATGCTTTGCT
CTAAGCCCCATCTCAATCTACACACTAGGATAGTAAAGTAATAGTAATAATAGTAGTAATAGT
AATAACAATACAATGATTATGGCTTAACTACACAAAGACACTGTTGATATATTTCATTTAGTATT
CACAGTAACCTGTGCCCTCAAGTACTATTGTAATACCCTTAAGAGGGAGAAACTGAGGCACAGGGCCCT
AAAGTAATATTCAAGATGAAGTGGCTACTAACGTACAGAGGGCATAATTCAACTCATGATATTGGCTC
TAGAATACATGCTGTAATCATTACAAATAATTGAGGAAACATTGTTAAAGCCTAAGTTATT
TGCTCTGAAATAAGACATAATTGGGGTGGAGAAAGCTTAGATTCCATGAAAGTATTACAGCATTGGTAGT
CTTTTCACTCCACCTCTTATTCTGCTTAAACATAATTGAGGAAACATTGTTAAAGCCTAAGTTATT


GAG (glu)

G TG (val)


A large red diagonal slash is drawn through the sequence, starting from the first 'GAG' codon and ending at the second 'TG' codon.



hemoglobin
(3P5Q)



Normal red
blood cells



sickle cell hemoglobin
(5E6E)




Sickle cell
anemia



When Genome to Phenome Works


Using synthetic biology/metabolic engineering to produce the antimalarial drug artemisinin





Genetically Identical, but....

- Most of us in this room have *Candida albicans* in us right now
- Based on environmental cues they develop hyphae and become extremely virulent
 - 33%-50% mortality rate upon diagnosis of systemic candidiasis
- Genetically identical
- This is a social behavior



Nature vs. Nurture

- How do environmental cues and social interactions affect development?
- Serial killers, terrorists, and mass murderers are very unlikely to be the product of a genetic mutation





- These two have killed far more people than AIDS has
- HIV: 6,271 US dead in 2014
- Suicide: 42,773 US in 2014





Peptide Cues



- Social behavior in *S. aureus*
 - Biofilm formation, expression of virulence factors, sporulation
 - Social behavior in humans
 - Pair-bonding, sexual function, stress, blood pressure, mental health, etc.
 - So why aren't these being utilized more?





Peptides are Rapidly Cleaved


- Grab a fistful of scrabble letters
- Synthesize the peptide they code for
- Inject it into your bloodstream
- Five minutes later it's in your bladder






Need: Longer-Lasting Peptides


- Longer-lasting peptides would enable turning these social cues on and off and would complete the picture together with genomic tools
- What we do:





Peptides




N-methylation




N-alkylation



Lysine



Literature PEGylation




Our PEGylation




PEGylated Amino Acids

- PEG-Glutamine



- PEG₃-Lysine





- Overall yields: 80% and 70%



PEGylated GLP-1 Peptide

HA**Q**GTFSDVSSYLEG**Q**AAKEFIAWLVKGR





Acknowledgements



Graduate Students:

Paris Hamilton (PEGylated peptides)

Kirstin Sockwell (Actinide chemistry)

Megan Sibley (Ln/An separations)

Undergraduate Students:

Alexandra North, Rebecca Pontius, Victoria Haberman,

Jessica Cannon, Brion Riley, Spencer Temples, Matthew Churitch

Collaborators:

Brian Powell (EEES), Susan Chapman (Biology), Charles Schwartz (GGC)

